


Table Top
2R:1H



How To Use ?



- Prepare a clean, dust-free workspace and wear gloves, a mask, and safety glasses.
- Measure 2 parts resin to 1 part hardener by weight using a digital scale.
- Stir the mixture slowly for 7–10 minutes, scraping the sides and bottom until fully blended and clear.
- Add pigments, powders, or inclusions if desired, and mix gently to avoid bubbles.
- Pour the resin slowly into your mold or onto the surface, letting it self-level evenly.
- Use a heat gun or torch briefly to remove any air bubbles from the surface.
- Let the piece cure undisturbed for 12 hours, and fully cure for 24 hours before demolding or finishing



Furniture



Woodworking




Countertops



Artworks



Clear & High Gloss



Self-leveling Formula



Non Yellowish for lasting clarity



Bubbles Free finish



Hard Glass Finish & Waterproof once cured.

Pot life & curing time at 25°C	
Pot life	40 Min
2nd layer	12 Hours
Fully cure	24 Hours

Pour Thickness	10-12 mm
Mix Viscosity (mPas) at 25°C	-
Mixing ratio by weight	2R : 1H
Shelf life	18 Months

Available Packaging Formats

- 1.5 kg, 7.5 Kg, 15 kg
- Bulk packaging supplied in 5 Kg, 10 Kg or 20 Kg cans.



- Keep away from children & Pets.
- Always protect your skin, and eyes.
- Do not ingest or inhale fumes.
- Store tightly sealed in a cool-dry place.